



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/046,292	01/15/2002	Paul Bucknell	GB 010006	8104
24737 75	590 07/05/2006		EXAMINER	
PHILIPS INTELLECTUAL PROPERTY & STANDARDS			RAMPURIA, SHARAD K	
P.O. BOX 3001 BRIARCLIFF MANOR, NY 10510		ART UNIT	PAPER NUMBER	
			2617	
			DATE MAILED: 07/05/2006	5

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
	10/046,292	BUCKNELL, PAUL	
Office Action Summary	Examiner	Art Unit	
	Sharad Rampuria	2617	
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the c	orrespondence address	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING ID.  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period.  - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tim I will apply and will expire SIX (6) MONTHS from te, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on 15 .      This action is <b>FINAL</b> . 2b)⊠ This 3)□ Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro		
Disposition of Claims			
4) ☐ Claim(s) 1-10 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-10 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/	awn from consideration.		
Application Papers			
9) The specification is objected to by the Examin 10) The drawing(s) filed on 15 January 2002 is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	e: a)⊠ accepted or b)□ objected e drawing(s) be held in abeyance. See ction is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat* See the attached detailed Office action for a list	nts have been received. Its have been received in Applicationity documents have been received in the control of	on No ed in this National Stage	
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da	ate	
<ol> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date</li> </ol>	atent Application (PTO-152)		

Art Unit: 2617

#### **DETAILED ACTION**

I. The Art Unit location of this application in the USPTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Art Unit 2617.

II. The current office-action is in response to the application filed on 01/15/2002.Accordingly, Claims 1-10 are pending for further examination as follows:

## **Priority**

III. Receipt is acknowledged of papers submitted under 35 U.S.C. 1 19(a)-(d), which papers have been placed of record in the file.

#### Oath/Declaration

IV. The office acknowledges receipt of a properly signed oath/declaration.

#### **Drawings**

V. The receipt of drawings filed on is accepted by examiner.

# Information Disclosure Statement

VI. The Information Disclosure statement (IDS) submitted is in compliance with the provisions of 37 CFR 1.97. Accordingly, the examiner has considered the information disclosure statements.

Art Unit: 2617

# Specification

VII. The abstract of the disclosure is objected to because the abstract should be in a one paragraph. Correction is required. See MPEP § 608.01(b).

The disclosure is objected to because of the following informalities: need proper heading such as BACKGROUND OF THE INVENTION, DESCRIPTION etc...

Appropriate correction is required.

# Claim Rejections - 35 USC § 102

VIII. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- IX. Claims 1-10 are rejected under 35 U.S.C. 102 (b) as being anticipated by Grube et al. [US 5553314].

As per claim 1, Grube teaches:

Art Unit: 2617

A method of operating a radio system (Abstract) comprising a primary station (101; Fig.1) and at least one secondary station (102; Fig.1), characterized by establishing a two-way communications Link (103; Fig.1) between the primary station and the at Least one secondary station (Col.2; 36-52), by the primary station transmitting a configuration message to the at least one secondary station, by the at Least one secondary station adapting itself to receive configuration information signals (117; Fig.1) transmitted by a source (115; Fig.1) other than the primary station. (e.g. At power up of the communication unit (102), the communication unit transmits an application request over a second wireless communication path (117) to a configuration device (115). The configuration device (115) determines whether this was a valid request, and if so transmits the appropriate software applications to the communication unit (102) over the second wireless communication path (117). The communication unit (102) stores the application information in volatile memory (119). Having this information stored, the communication unit (102) prepares a service request by requesting configuration information from the configuration device (115). Upon receiving the configuration information from the configuration device (115) via the second wireless communication path (117), the communication unit (102) can access the wireless system (100) via a first wireless communication path (103); Col.2; 53-64, Col.4; 13-36, Abstract).

### As per claim 2, Grube teaches:

A method as claimed in claim 1, characterized in that the configuration information signals are transmitted by a broadcast transmitter. (Col.3; 3-23)

Art Unit: 2617

As per claim 3, Grube teaches:

A method as claimed in claim 1, characterized in that the at Least one secondary station reconfigures itself in response to the configuration message. (112; Fig.1, Col.2; 64-Col.3; 2, Col.4; 13-36).

As per claim 4, Grube teaches:

A telecommunications system (100; Fig.1) comprising a primary station (101; Fig.1) and at least one secondary station (102; Fig.1), characterized in that the primary station has means for establishing a two-way communications Link (103; Fig.1) between it and the at Least one secondary station (Col.2; 36-52), in that the at Least one secondary station has means responsive to a configuration message transmitted by the primary station for preparing the secondary station to receive configuration message signals transmitted over at least a one-way channel (117; Fig.1) other than the two-way communications Link established between the primary station and the at Least one secondary station. (e.g. At power up of the communication unit (102), the communication unit transmits an application request over a second wireless communication path (117) to a configuration device (115). The configuration device (115) determines whether this was a valid request, and if so transmits the appropriate software applications to the communication unit (102) over the second wireless communication path (117). The communication unit (102) stores the application information in volatile memory (119). Having this information stored, the communication unit (102) prepares a service request by requesting configuration information from the configuration device (115). Upon receiving the configuration information from the configuration device (115) via the second wireless communication path

Art Unit: 2617

(117), the communication unit (102) can access the wireless system (100) via a first wireless communication path (103); Col.2; 53-64, Col.4; 13-36, Abstract).

Page 6

As per claim 5, Grube teaches:

A telecommunications system as claimed in claim 4, characterized in that the configuration message signals are transmitted by a source other than the primary station. (Col.3; 3-23)

As per claim 6, Grube teaches:

A telecommunications system as claimed in claim 4, characterized in that the at Least one secondary station comprises a reconfigurable transceiver which is able to configure at Least its receiver section to receive the configuration message signals. (112; Fig.1, Col.2; 64-Col.3; 2, Col.4; 13-36).

As per claim 7, Grube teaches:

A telecommunications system as claimed in claim 4, characterized in that at Least one secondary station comprises a transceiver for communicating with the primary station over the two-way communications Link and a receiver for receiving configuration message signals. (112; Fig.1, Col.2; 64-Col.3; 2, Col.4; 13-36).

As per claim 8, Grube teaches:

Art Unit: 2617

A telecommunications system as claimed in claim 4, characterized in that the configuration message signals are transmitted over a broadcast radio channel. (Col.3; 3-23)

As per claim 9, Grube teaches:

A secondary station (102; Fig.1) for use in a telecommunications system (100; Fig.1) comprising a primary station and the secondary station, the primary station having means for establishing a two-way communications Link between it and the secondary station, characterized in that the secondary station has means responsive to a configuration message transmitted by the primary station for preparing the secondary station to receive configuration message signals transmitted over at least a one-way channel (117; Fig.1) other than the two-way communications Link established between the primary station and the secondary station, (e.g. At power up of the communication unit (102), the communication unit transmits an application request over a second wireless communication path (117) to a configuration device (115). The configuration device (115) determines whether this was a valid request, and if so transmits the appropriate software applications to the communication unit (102) over the second wireless communication path (117). The communication unit (102) stores the application information in volatile memory (119). Having this information stored, the communication unit (102) prepares a service request by requesting configuration information from the configuration device (115). Upon receiving the configuration information from the configuration device (115) via the second wireless communication path (117), the communication unit (102) can access the wireless system (100) via a first wireless communication path (103); Col.2; 53-64, Col.4; 13-36, Abstract).

Art Unit: 2617

As per claim 10, Grube teaches:

A secondary station as claimed in claim 9, characterized in that said means adapts the secondary station to receive configuration message signals transmitted as broadcast signals. (Col.3; 3-23)

Conclusion

X. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sharad Rampuria whose telephone number is (571) 272-7870.

The examiner can normally be reached on M-F. (8:30-5).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, George Eng can be reached on (571) 272-7495. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://portal.uspto.gov/external/portal/pair. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or EBC@uspto.gov.

Sharad Rampuria Examiner Art Unit 2617

JPERVISORY PATENT FXAMINER